

Skalflex Indoor Limewash

Safety data sheet

Last printed on 29.05.2006
Page 1 of 3

1. Identification of substance/preparation and manufacturer

Product name: Indoor Limewash

Product No.: N/A

Application: Paint

Packaging: 5 kg and 15 kg buckets

Manufacturer: SKALFLEX A/S

Industrivej 20b

DK-8800 Viborg

Tel. +45 8661 2299 Fax +45 8661 2199

email: mail@skalflex.dk

2. Composition/information on ingredients

Ingredients	EINECS/ELINCS	weight%	CAS No.	classification
-------------	---------------	---------	---------	----------------

Does not contain any contents subject to disclosure.

3. Hazards identification

Repeated or prolonged contact with skin may cause irritation.

4. First-aid measures

Inhalation:

Seek fresh air.

Skin contact:

Wash skin with plenty of water and soap. If irritation persists, get medical assistance.

Eye contact:

Open eyelids widely and rinse eye with plenty of water for at least 15 minutes. If irritation persists, get medical assistance.

Ingestion:

Do not induce vomiting. Let victim drink water or milk and get medical assistance.

5. Fire fighting measures

The product is not flammable.

To the extent possible, remove product from areas exposed to fire hazard.

6. Accidental release measures

In case of large spills in outdoor environment, contact fire authorities.

Cover/absorb large spills with sand or other absorbent material.

Page 2 of 3

Treat as waste. See items 8 and 13.

Do not allow run-off to sewer.

7. Handling and storage

Avoid skin and eye contact. Use protective gloves if skin contact is unavoidable. See item 8.

Store product in closed original container in a dry and frost-free place.

Fire rating: -

8. Exposure controls/personal protection

MAL Code: 00-1 (1993)

The following contents are subject to disclosure regulations and have exposure limits in accordance with executive order C.0.1, 2002:

None

If necessary, the following personal protective equipment is recommended:

Respiratory protection: -
Gloves: PVC/Neoprene.
Eye protection: Goggles/guard, if necessary
Hygiene: Immediately change soaked clothes

9. Physical and chemical properties

Appearance:	Liquid	Solubility in water	Completely
Odour	Odourless	Distribution coefficient	*
pH	9-9.5	Flash point	*
Boiling temperature	100°	Auto ignition temperature	*

15. Regulatory information

Hazard label on container:

No classification required in accordance with the Danish Ministry of the Environment
Order on classification, labelling, etc.

MAL Code: 00-1 (1993)

Application limitations: None.

Requirements for special training: None

In addition, the product is subject to the following special executive orders:

Order on work with code-numbered products, no. 302 of 13 May 1993.

16. Other information

None