

Skalflex Course Paint

Material Safety Data Sheet
Printed 07-07-03 13:45

Page 1 of 4

1. Identification of the material & supplier

Product name: Skalflex Course Paint
Intended use: Paint
Package: 5 and 15 kg buckets
Producer: SKALFLEX A/S
Industrivej 20b
DK-8800 Viborg
Tlf. +45 8661 2299 Fax. +45 8661 2199

2. Composition/Information on Ingredients:

Waterborne paint. May release small amount of ammonia

<u>Chemical name</u>	<u>CAS-no-</u>	<u>%</u>	<u>Classification</u>
Ammonia	1336-21-6	<0,2	C;R34 N;R50

3. Hazards Identification:

Vapours as well as skin- and eye contact may cause irritation.

4. First-Aid-Measures:

Inhalation:

In case of persistent throat irritation or coughing: Seek medical attention and bring along these instructions.

Skin contact:

Remove contaminated clothes and rinse skin thoroughly with water and soap.

Eye contact:

Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion:

Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. If uncomfortable: Seek hospital and bring these instructions.

5. Fire-fighting Measures

None specific. Use fire-extinguishing media appropriate for surrounding materials.

Skalflex Course Paint

Material Safety Data Sheet
Printed 07-07-03 13:45

Page 2 of 4

6. Accidental Release Measures

Avoid contact with the product. Personal protection: see section 8.
Avoid discharge into drains, water courses or onto the ground.
Dampen and absorb spillage with sand, sawdust or other inert absorbent. For waste disposal see section 13.

7. Handling and Storage

Avoid inhalation of vapours and contact with skin and eyes. Observe good industrial hygiene practices.

Ensure proper ventilation

Store in closed original container in a dry place.

8. Exposure Controls and Personal Protection

<u>Chemical name:</u>	<u>Exposure limit</u>	<u>References:</u>
Ammonia	25 ppm, 18 mg/m ³	Danish OEL-list
<u>Personal protection:</u>	Use overall	
<u>Gloves:</u>	Rubber/PVC	
<u>Eye protection:</u>	Glasses/faceshield	

9. Fysisk-kemiske egenskaber:

Appearance:	liquid	Solubility-water	Completely
Odour	Ammonia, weak	n-octanol/water	*
pH	*	Flash-point	*
Boiling point	100°	Autoignition	*
Melting point	*	Explosive properties	*
Vapour pressure	*	Viscosity	*
Density	1.8	Other data	*

*: Means no data or not relevant

10. Stability and Reactivity

Stability: Stable

Hazardous decomposition

Products: Small amounts of ammonia.

Skalflex Course Paint

Material Safety Data Sheet
Printed 07-07-03 13:45

Page 3 of 4

11. Toxicological Information

Inhalation:

Vapours may irritate throat and respiratory system and cause coughing, particular when heated.

Skincontact:

Slightly irritating. Prolonged contact may cause redness, itching, eczema and irritation.

Eye contact:

May be irritating and may cause redness and pain.

Ingestion:

May be irritating. May cause nausea, stomach pain and vomiting.

12. Ecological Information

There is no data available for the components in the product according to EU legislation.

Do not allow to contaminate drains, sewers or water courses.

13. Disposal Considerations

Dispose of in accordance with Local Authority requirements.
Contact specialist disposal companies.

Transportation as waste: see also point 14

14. Transport Information

The product is not considered dangerous goods.

15. Regulation Information

Label for supply

Based on information from the manufacturer regarding the chemical composition of the product, an assessment by the Danish Toxicology Centre on 6 December 1995 has shown that according to EEC Directives 67/548/EEC, the product is not liable to classification and labelling.

Regulations: 1) EEC Directives 67/548/EEC on dangerous substances and 88/379/EEC on dangerous preparations, implemented in Great Britain by the Chemicals (Hazard information Packaging for supply) Regulations 1994. (SI 1994/3247)

16. Other Information

The user must be instructed in the proper work procedure and be familiar with the contents of these instruction

Skalflex Course Paint

Material Safety Data Sheet
Printed 07-07-03 13:45

Page 4 of 4
